Surgical Oncology 1996; **5**: 279–282

Author index

Aaron, A.D., O'Mara, J.W., Legendre, K.E., Evans, S.R.T., Attinger, C.E. & Montgomery, E.A. Chest wall fibromatosis associated with silicone breast implants, 93
Abdel-Wahab, Z. *see* Stidham, K.R.
Akçal, T. *see* Uras, C.
Akiyama, H. *see* Kajiyama, Y.
Alatli, C. *see* Soybir, G.R.
Altinkaya, E. *see* Uras, C.
Andreoni, B. *see* Audisio, R.A.
Attinger, C.E. *see* Aaron, A.D.
Audisio, R.A., Veronesi, P., Maisonneuve, P., Chiappa, A., Andreoni, B., Bombardieri, E. & Geraghty, J.G. Clinical relevance of serological markers in the detection and follow-up of pancreatic adenocarcinoma, 49

Banker, N., Evers, B.M., Hellmich, M.R. & Townsend JR, C.M. The role of Src family kinases in the normal and neoplastic gastrointestinal tract, 201
Bankert, R. *see* Cuenca, R.E.
Bombardieri, E. *see* Audisio, R.A.

Carey, P.D. *see* Clark, G.W.B.
Chapman, J.W., Hanna, W., Kahn, H.J., Lickley, H.L.A., Wall, J., Fish, E.B. & McCready, D.R. Alternative multivariate modelling for time to local recurrence for breast cancer patients receiving a lumpectomy alone, 265
Chiappa, A. *see* Audisio, R.A.
Chung, C.C. *see* Leow, C.K.
Clark, G.W.B., Roy, M.K., Corcoran, B.A. & Carey, P.D. Carcinoma of the oesophagus: the time for a multidisciplinary approach?, 149
Cohen, A.M. *see* Havenga, K.
Copeland III, E.M. *see* Mendenhall, W.M.
Coplin, M.A. *see* Johnson, F.E.
Corcoran, B.A. *see* Clark, G.W.B.
Cosson, M. *see* Vinatier, D.
Cuenca, R.E., Takita, H. & Bankert, R. Orthotopic engraftment of human lung tumours in SCID mice for the study of metastasis, 85
Curry, G.W. *see* Nagy, J.

Darrow, T.L. *see* Stidham, K.R.
De Roy Van Zuidewijn, D.B.W. *see* Havenga, K.
Doerr, R.J. *see* Volpe, C.M.
Dufour, Ph. *see* Vinatier, D.

Endo, M. *see* Takeshita, K.
Enker, W.E. *see* Havenga, K.
Enomoto, K. *see* Tamura, H.
Evans, S.R.T. *see* Aaron, A.D.
Evers, B.M. *see* Banker, N.
Evers, B.M. *see* Iwase, K.

Fish, E.B. *see* Chapman, J.W.
Fraser, I.A. *see* Wong, L.S.

George, W.D. *see* Nagy, J.
Geraghty, J.G. *see* Audisio, R.A.
Göksel, S. *see* Uras, C.
Gollnick, S.O. *see* Spellman, J.E.
Grahn, M.F. *see* Purkiss, S.F.
Gully, D. *see* Iwase, K.

Haller, U. *see* Rageth, J.Ch.
Hallett, M.B. *see* Han, Z.G.
Han, Z.G., Jiang, W.G., Hiscox, S., Hallett, M.B., Isoai, A. & Mansel, R.E. Inhibition of motility and invasion of human lung cancer cells by invasion inhibiting factor 2, 77
Hanna, W. *see* Chapman, J.W.
Harada, K. *see* Sadatomo, T.
Hattori, T. *see* Sakamoto, J.
Havenga, K., Huang, Y., Enker, W.E., Welvaart, K., De Roy Van Zuidewijn, D.B.W. & Cohen, A.M. Aggressive versus conventional strategies in the treatment of rectal adenocarcinoma, 183
Hayashi, S. *see* Takeshita, K.
Hellmich, M.R. *see* Banker, N.
Hellmich, M.R. *see* Iwase, K.
Higashide, S. *see* Iwase, K.
Hillan, K.J. *see* Nagy, J.
Hiscox, S. *see* Han, Z.G.
Huang, Y. *see* Havenga, K.

Ikeda, T. *see* Tamura, H.
Inokuchi, K. *see* Sakamoto, J.
Ishii, S. *see* Tamura, H.
Isoai, A. *see* Han, Z.G.
Iwase, K., Evers, B.M., Hellmich, M.R., Kim, H.J., Higashide, S., Gully, D. & Townsend JR, C.M. Indirect inhibitory effect of a neurotensin receptor antagonist on human colon cancer (LoVo) growth, 245

Jiang, W.G. *see* Han, Z.G.
Johnson, F.E., Novell, L.A., Coplin, M.A., Longo, W.E., Vernava, A.M., Wade, T.P. & Virgo, K.S. How practice patterns in colon cancer patient follow-up are affected by surgeon age, 127

Kahn, H.J. *see* Chapman, J.W.
Kajiyama, Y., Tsurumaru, M., Udagawa, H., Tsutsumi, K., Kinoshita, Y. & Akiyama, H. Relief of jaundice by 5-fluorouracil and folinic acid in patients with recurrent gastric cancer, 177
Kando, F. *see* Takeshita, K.
Kaptanoğlu, L. *see* Uras, C.
Karakousis, C.P. *see* Volpe, C.M.
Kim, H.J. *see* Iwase, K.
Kinoshita, Y. *see* Kajiyama, Y.
Kitajima, M. *see* Tamura, H.
Kodaira, S. *see* Sakamoto, J.
Köksoy, F. *see* Soybir, G.R.
Koong, S.-S. *see* Temeck, B.K.
Koyuncu, H. *see* Soybir, G.R.
Kurisu, K. *see* Sadatomo, T.

©1996 Blackwell Science Ltd

Labastida, S. *see* Luna-Perez, P.
Lau, W.Y. *see* Leow, C.K.
Lee, Y.-T.M. Local and regional recurrence of carcinoma of the colon and rectum: II. Factors relating to operative technique, 1
Legendre, K.E. *see* Aaron, A.D.
Lennard, T.W.J. Surgery for thyroid cancer, 103
Leow, C.K., Chung, C.C., Lau, W.Y. & Li, A.C.K. Malignant anal tumours in the Chinese population in Hong Kong, 65
Li, A.C.K. *see* Leow, C.K.
Lickley, H.L.A. *see* Chapman, J.W.
Longo, W.E. *see* Johnson, F.E.
Luna-Perez, P., Rodriguez, D.F., Macouzet, J.G. & Labastida, S. Anorectal malignant melanoma, 165

Macouzet, J.G. *see* Luna-Perez, P.
Maetani, S. *see* Sakamoto, J.
Mahoney, M.C. *see* Rodriguez-Bigas, M.A.
Mai, M. *see* Sakamoto, J.
Maisonneuve, P. *see* Audisio, R.A.
Mallon, E. *see* Nagy, J.
Mansel, R.E. *see* Han, Z.G.
McCready, D.R. *see* Chapman, J.W.
McKay, I.C. *see* Nagy, J.
Mendenhall, W.M., Zlotecki, R.A., Vauthey, J.-N. & Copeland III, E.M. Squamous cell carcinoma of the anal margin treated with radiotherapy, 29
Mitsudomi, T. *see* Osaki, T.
Mizuno, M. *see* Sadatomo, T.
Montgomery, E.A. *see* Aaron, A.D.
Morris, A.G. *see* Wong, L.S.

Nagy, J., Curry, G.W., Hillan, K.J., McKay, I.C., Mallon, E., Purushotham, A.D. & George, W.D. Hepatocyte growth factor/scatter factor expression and *c-met* in primary breast cancer, 15
Nakanishi, K. *see* Osaki, T.
Nakanishi, R. *see* Osaki, T.
Nakazato, H. *see* Sakamoto, J.
Nomoto, K. *see* Sakamoto, J.
Novell, L.A. *see* Johnson, F.E.

O'Mara, J.W. *see* Aaron, A.D.
Ohashi, Y. *see* Sakamoto, J.
Ohgami, A. *see* Osaki, T.
Okajima, K. *see* Sakamoto, J.
Okura, H. *see* Sakamoto, J.
Osaki, T., Mitsudomi, T., Yoshida, Y., Oyama, T., Ohgami, A., Nakanishi, K., Nakanishi, R., Sugio, K. & Yasumoto, K. Increased levels of serum intercellular adhesion molecule-1 (ICAM-1) in patients with non-small cell lung cancer, 107
Oyama, T. *see* Osaki, T.
Özşeker, A. *see* Soybir, G.R.

Pass, H.I. *see* Temeck, B.K.
Pell, M. *see* Volpe, C.M.
Penetrante, R.B. *see* Sanchez-Maldonado, W.
Petrelli, N.J. *see* Rodriguez-Bigas, M.A.
Petrelli, N.J. *see* Sanchez-Maldonado, W.
Purkiss, S.F. The assessment of percentage hepatic replacement using planimetry of computerized tomographic images, 231
Purkiss, S.F., Grahn, M.F. & Williams, N.S. Haematoporphyrin derivative—photodynamic therapy of colorectal carcinoma, sensitized using verapamil and adriamycin, 169
Purushotham, A.D. *see* Nagy, J.

Querleu, D. *see* Vinatier, D.

Rageth, J.Ch., Wyss, P., Unger, C. & Haller, U. Axillary lymphadenectomy—just how radical should it be?, 37
Reynolds, J.C. *see* Temeck, B.K.
Ricci, W.M. *see* Stidham, K.R.
Rodriguez, D.F. *see* Luna-Perez, P.
Rodriguez-Bigas, M.A. *see* Sanchez-Maldonado, W.
Rodriguez-Bigas, M.A., Mahoney, M.C., Weber, T.K. & Petrelli, N.J. Colorectal cancer in patients aged 30 years or younger, 189
Roy, M.K. *see* Clark, G.W.B.

Sadatomo, T., Yoshida, J., Wakabayashi, T., Mizuno, M., Harada, K., Kurisu, K., Uozumi, T. & Sugita, K. New approach for the treatment of medulloblastoma by transfection with glial fibrillary acidic protein gene, 69
Saito, N. *see* Takeshita, K.
Sakamoto, J., Nakazato, H., Teramukai, S., Ohashi, Y., Takahashi, Y., Mai, M., Toge, T., Okura, H., Kodaira, S., Maetani, S., Okajima, K., Nomoto, K., Hattori, T. & Inokuchi, K. Association between preoperative plasma CEA levels and the prognosis of gastric cancer following curative resection, 133
Sanchez-Maldonado, W., Rodriguez-Bigas, M.A., Weber, T.K., Penetrante, R.B. & Petrelli, N.J. Utility of mapping lymph nodes cleared from rectal adenocarcinoma specimens, 123
Seigler, H.F. *see* Stidham, K.R.
Soybir, G.R., Koyuncu, H., Köksoy, F., Yalçin, O., Özşeker, A., Alatli, C. & Topuzlu, C. Protective effect of desferrioxamin against TPA caused inflammation in CD-1 mouse skin, 253
Spellman, J.E., Gollnick, S.O., Zhang, P.J. & Tomasi, T.B. Cytokine production by human soft tissue sarcomas: implications for immunosuppression within the tumour bed, 237
Stidham, K.R., Ricci, W.M., Vervaert, C., Abdel-Wahab, Z., Seigler, H.F. & Darrow, T.L. Modulation of specific active immunization against murine melanoma using recombinant cytokines, 221
Sugio, K. *see* Osaki, T.
Sugita, K. *see* Sadatomo, T.

Takahashi, Y. *see* Sakamoto, J.
Takeshita, K., Hayashi, S., Tani, M., Kando, F., Saito, N. & Endo, M. Monocyte function associated with intermittent lentinan therapy after resection of gastric cancer, 23
Takita, H. *see* Cuenca, R.E.
Tamura, H., Ishii, S., Ikeda, T., Wada, N., Enomoto, K. & Kitajima, M. Therapeutic efficacy of pamidronate in combination with chemotherapy to bone metastasis of breast cancer in a rat model, 141
Tani, M. *see* Takeshita, K.

Temeck, B.K., Koong, S.-S., Reynolds, J.C. & Pass, H.I. Somatostatin analogue in the localization and treatment of bronchial carcinoid tumours, 195
Teramukai, S. *see* Sakamoto, J.
Toge, T. *see* Sakamoto, J.
Tomasi, T.B. *see* Spellman, J.E.
Topuzlu, C. *see* Soybir, G.R.
Townsend JR, C.M. *see* Banker, N.
Townsend JR, C.M. *see* Iwase, K.
Tsurumaru, M. *see* Kajiyama, Y.
Tsutsumi, K. *see* Kajiyama, Y.

Udagawa, H. *see* Kajiyama, Y.
Unger, C. *see* Rageth, J.Ch.
Uozumi, T. *see* Sadatomo, T.
Uras, C., Altinkaya, E., Yardimci, H., Göksel, S., Yavuz, N., Kaptanoğlu, L. & Akçal, T. Peritoneal cytology in the determination of free tumour cells within the abdomen in colon cancer, 259

Vauthey, J.-N. *see* Mendenhall, W.M.
Vernava, A.M. *see* Johnson, F.E.
Veronesi, P. *see* Audisio, R.A.
Vervaert, C. *see* Stidham, K.R.
Vinatier, D., Dufour, Ph., Cosson, M. & Querleu, D. Laparoscopy in gynaecological cancer, 211
Virgo, K.S. *see* Johnson, F.E.
Volpe, C.M., Pell, M., Doerr, R.J. & Karakousis, C.P. Radical scapulectomy with limb salvage for shoulder girdle soft tissue sarcoma, 43

Wada, N. *see* Tamura, H.
Wade, T.P. *see* Johnson, F.E.
Wakabayashi, T. *see* Sadatomo, T.
Wall, J. *see* Chapman, J.W.
Weber, T.K. *see* Rodriguez-Bigas, M.A.
Weber, T.K. *see* Sanchez-Maldonado, W.
Welvaart, K. *see* Havenga, K.
Williams, N.S. *see* Purkiss, S.F.
Wong, L.S., Morris, A.G. & Fraser, I.A. The exfoliation of free malignant cells in the peritoneal cavity during resection of colorectal cancer, 115
Wyss, P. *see* Rageth, J.Ch.

Yalçin, O. *see* Soybir, G.R.
Yardimci, H. *see* Uras, C.
Yasumoto, K. *see* Osaki, T.
Yavuz, N. *see* Uras, C.
Yoshida, J. *see* Sadatomo, T.
Yoshida, Y. *see* Osaki, T.

Zhang, P.J. *see* Spellman, J.E.
Zlotecki, R.A. *see* Mendenhall, W.M.

Keyword index

adjuvant chemotherapy, 29
anal canal, 165
analogues, 195
animal model, 141
anus neoplasms, 29
axillary clearance, 37
axillary lymphadenectomy, 37
axillary recurrence, 37

bile production, 177
bone metabolic markers, 141
bone metastasis, 141
breast cancer, 15, 141, 265
breast implants, 93

c-met, 15
cancer, 1
carcinoid, 195
carcinoma, 149
cell invasion, 77
cell motility, 77
chest wall, 93
Chinese, 65
cisplatinum, 69
colon, 1
colon cancer, 127, 245, 259
colorectal, 231
colorectal cancer, 115, 123, 189
complications, 103
computerized tomography, 231
Cox's proportional hazards model, 133
cytokine, 237

desferrioxamin, 253
diagnosis, 49
differentiation, 69, 201

ectopic ACTH, 195
enzyme-linked immunosorbent assay, 107
experimental antineoplastic agents, 169

fibromatosis, 93
5-fluorouracil, 177
folinic acid, 177
follow-up, 49
free cancer cells, 259
free malignant peritoneal cells, 115

gastric cancer, 133, 177
gastric cancer patients, 23
gastrointestinal tract, 201
GFAP, 69
glioma, 69
growth, 201
gynaecological cancer, 211

Haematoporphyrin photoradiation drug resistance, 169
hepatocyte growth factor/scatter factor (HGF/SF), 15, 77
hereditary colorectal cancer, 189
human, 237
human papillomavirus, 65

ICAM-1, 107
IL-1β production, 23
immunopotentiating action, 23
immunosuppression, 237
immunotherapy, 221
improvement of liver function, 177
inflammation, 253
interleukin-1β, 221
interleukin-2, 221
intestinal type, 133
invasion inhibiting factor 2 (IIF2), 77

laparoscopy, 211
lentinan administration, 23
limb salvage, 43
liver neoplasms, 231
local recurrence, 115, 265
log Normal, 265
LoVo cells, 245
lung cancer cell, 77
lung tumours, 85
lymph node clearing technique, 123
lymphadenectomy, 149

MACS, 115
malignant anal tumours, 65
malignant melanoma, 165
malignant tumours, 43
management, 211
medulloblastoma, 69
metastasis, 15, 85
mitomycin C, 141
modelling, 265
multiple colonic neoplasms, 169
murine, 221

neoplasms, 201
neurotensin, 245
neurotensin antagonist, 245
non-small cell lung cancer, 107

oesophagus, 149
options for treatment, 103
orthotopic engraftment, 85

palliation, 149
pamidronate, 141
pancreatic cancer, 49
peritoneal cytology, 259
peritoneal lavage, 259
planimetry, 231
postgraduate medical education, 127
postoperative follow-up, 127
practice patterns, 127
preoperative CEA, 133
production, 237
prognosis, 15
prognostic factors, 265
prognostic value, 133
proto-oncogene, 15

radiotherapy, 29
receptor, 195
rectal adenocarcinoma, 183
rectum, 1
recurrence, 1
relief of jaundice, 177

sarcoma, 237
scapulectomy, 43
SCID mice, 85
scraping cytology, 259
SH2, 201
shoulder girdle, 43
somatostatin, 195
specific active immunization, 221
squamous cell carcinoma, 29
SR48692, 245
Src kinase, 201
staging, 211
surgeon age, 127
surgery, 1, 103, 165
surgical adjuvant immunotherapy, 23
survey, 127

thyroid, 103
total mesorectal excision, 183
TPA, 253
transfection, 69
transitional mucosa, 165
treatment outcome, 29
tumour immunity, 221
tumour marker, 107
tumour markers, 49

young, 189

©1996 Blackwell Science Ltd